



WEEKLY EPIDEMIOLOGICAL REPORT

A publication of the Epidemiology Unit
Ministry of Health, Nutrition & Indigenous Medicine

231, de Saram Place, Colombo 01000, Sri Lanka
Tele: + 94 11 2695112, Fax: +94 11 2696583, E mail: epidunit@slt.net.lk
Epidemiologist: +94 11 2681548, E mail: chepid@slt.net.lk
Web: <http://www.epid.gov.lk>

Vol. 48 No. 03

09th – 15th January 2021

Leprosy the disease Part II

Since there is a possibility of side effects that can occur due to MDT, investigations will be carried out in a leprosy patient. At baseline (before starting treatment); Full Blood Count (FBC), Alanine Transaminase (ALT), Aspartate Transaminase (AST) in all patients and Glucose 6 Phosphatase Dehydrogenate (G6PD) assay in persons living in high-risk areas for (G6PD) deficiency or where facilities are available. During treatment FBC, ALT, AST should be repeated at the end of each month of MDT treatment. Slit Skin Smear (SSS) is useful in both diagnosis and follow up of patients with leprosy. Skin smears should be taken from the most active lesions in ear lobes and eyebrows. A skin biopsy may be performed even in a clear-cut case, but starting MDT should not be delayed until the results of the biopsy are available.

Multi Drug Therapy

Multi Drug Therapy is a combination of drugs that is very safe and effective in treating leprosy to prevent the emergence of drug resistance. It has proved, MDT a powerful strategy in the control of leprosy. In fact, cases that come early and start proper treatment will end up with a good outcome.

Supervision of the monthly drugs is important to ensure drug compliance and prevention of relapse.

MDT is safe for women and their babies during pregnancy and breastfeeding. MDT can be given for patients with HIV, those on anti-retroviral therapy and patients with TB. If a leprosy patient is treated for TB, the MDT regime should omit Rifampicin as long as the TB regime contains Rifampicin.

The duration of PB therapy is 6 months and for MB therapy it is 12 months. Hence, a fully compliant pa

tient should complete treatment at the end of 6 months (PB therapy) or 12 months (MB therapy) of starting therapy. MDT is provided in blister packs each containing drugs for 4 weeks of treatment. Specific blister packs are available for MB and PB leprosy as well as for adults and children.

Following leprosy cases needs MDT drugs.

1. Individual with signs of leprosy who have never got treatment before.
2. Relapse patients are treated the same as new cases.

Contents	Page
1. Leading Article – Leprosy the disease Part II	1
2. Summary of selected notifiable diseases reported (02 nd – 08 th January 2021)	3
3. Surveillance of vaccine preventable diseases & AFP (02 nd – 08 th January 2021)	4

3. People who return from default receive the same treatment as new cases.

4. People who changed the classification from PB to MB need a full course of MB drugs.

Source

Nunzi, E., Massone, C., (2012). *Leprosy a practical guide*. Italia: Springer-Verlag.

Sivaganesh, S., (2016). *Leprosy in Jaffna District: Case Load, Sociocultural Factors, Stigma and Economic costs*. Doctoral degree thesis in Community Medicine, Post graduate Institute of Medicine. University of Colombo.

College of Dermatologist, *Guidelines on Management of Leprosy*, (2013). Ministry of Health. Colombo Sri Lanka, p. 17.

Table 2: WHO MDT Regimes

Type	Monthly drugs	Daily drugs
PB adult (15 years and above)	Rifampicin 600mg	Dapsone 100mg
PB child (10-14 years)	Rifampicin 450mg	Dapsone 50mg
MB adult (15 years and above)	Rifampicin 600mg Clofazimine 300mg	Dapsone 100mg Clofazimine 50mg
MB child (10-14 years)	Rifampicin 450mg Clofazimine 150mg	Dapsone 50mg Clofazimine 50mg Every other day

Pathmeswaran A, Post,E., Nugegoda, W., (2008). *The Anti Leprosy Campaign in Sri Lanka: Report of an assessment*, Colombo.

Dabrera, T.M.E, Kasturiaratchi, N.D., Sumanaweera, N., Kasturiaratchi., S.K. (2013). "Leprosy Epidemic" in a rural Sri Lankan community, International Leprosy Congress.

World Health Organization, (2012). *Leprosy situation in south east Asian region*. Available at: <http://www.searo.who.int/entity/leprosy/data/NCDR2012/en>.

Anti-Leprosy Campaign, (2015). *Annual Report of Leprosy*, Colombo, Sri Lanka: Ministry of Health, p. 22

Compiled by
Dr.Nadeeja Liyanage
Acting Consultant Community Physician

Table 1: Selected notifiable diseases reported by Medical Officers of Health 02nd - 08th Jan 2021 (2nd Week)

RDHS	Dengue Fever		Dysentery		Encephaliti		Enteric Fever		Food Poi-		Leptospirosis		Typhus Fe-		Viral Hep-		Human		Chickenpox		Meningitis		Leishmania-		WRCD		
	A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B	A	B	T*	C**	
Colombo	30	65	0	2	0	0	0	0	0	0	4	6	0	0	0	0	0	0	0	1	1	0	0	0	0	56	95
Gampaha	20	37	0	0	1	1	0	1	0	0	1	3	0	0	0	0	0	0	0	0	0	0	0	1	19	87	
Kalutara	18	36	0	0	0	0	0	0	0	0	12	14	0	0	0	0	0	0	1	2	0	0	0	29	100		
Kandy	8	28	1	1	0	1	0	0	0	0	8	16	2	4	0	0	0	0	2	3	0	1	0	0	65	100	
Matale	1	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	7	73	100	
Nuwareliya	0	0	0	0	0	0	0	0	0	0	1	3	2	5	0	0	0	0	0	3	0	0	0	1	31	100	
Galle	7	10	0	0	0	0	0	0	0	0	21	43	1	4	1	2	0	0	0	0	3	6	0	0	50	100	
Hambantota	4	6	0	0	0	0	0	0	0	0	5	8	2	4	1	3	0	0	0	0	0	0	7	16	75	100	
Matara	3	10	0	0	0	0	0	0	0	0	5	10	2	2	0	0	0	0	3	4	0	0	5	6	32	100	
Jaffna	5	11	0	0	0	0	0	1	0	0	1	4	40	61	0	0	0	0	1	1	0	0	0	0	7	88	
Kilinochchi	2	3	0	1	0	0	0	0	0	0	2	4	1	2	0	0	0	0	0	0	0	0	0	0	75	100	
Mannar	1	2	0	0	0	0	0	2	0	0	2	4	1	1	0	0	0	0	0	0	1	6	0	0	25	80	
Vavuniya	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	13	100	
Mullaitivu	2	2	0	0	0	0	0	0	0	0	1	3	1	1	0	0	0	0	1	1	1	1	0	0	0	100	
Batticaloa	265	473	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	1	1	1	2	0	0	50	100	
Ampara	0	0	1	1	0	0	1	1	0	0	0	1	0	0	0	0	0	0	5	6	0	1	0	0	57	100	
Trincomalee	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	29	100	
Kurunegala	14	26	0	0	0	0	0	0	0	1	14	37	2	3	0	0	0	0	2	2	9	18	11	20	52	100	
Puttalam	11	19	1	1	0	1	0	0	0	0	2	4	0	3	0	0	0	0	1	1	6	7	1	1	54	100	
Anuradhapur	0	4	1	1	0	0	0	0	0	0	17	28	3	5	0	0	0	0	1	2	0	3	14	29	39	96	
Polonnaruwa	1	1	0	0	0	0	0	0	0	0	2	5	0	0	0	0	0	0	0	0	0	0	5	14	38	100	
Badulla	7	7	0	0	0	0	0	0	0	0	8	21	3	5	0	1	0	0	1	1	0	0	0	1	47	100	
Monaragala	1	1	1	1	0	0	1	1	0	0	2	2	0	1	2	2	0	0	0	0	0	0	2	2	0	100	
Ratnapura	2	4	2	4	0	0	0	0	0	0	30	44	0	0	0	0	0	0	4	6	3	6	0	4	29	100	
Kegalle	11	14	1	1	0	0	0	0	0	0	7	10	0	0	0	0	0	0	3	4	0	0	0	0	50	100	
Kalmune	9	11	1	1	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	35	100	
SRI LANKA	423	774	9	14	1	3	2	6	0	1	146	273	60	102	4	8	0	0	28	39	24	51	46	102	43	98	

Source: Weekly Returns of Communicable Diseases (esurveillance.epid.gov.lk).

*T= Timeliness refers to returns received on or before 08th January, 2021 Total number of reporting units 357 Number of reporting units data provided for the current week: 352 C**=Completeness

Table 2: Vaccine-Preventable Diseases & AFP

02nd - 08th Jan 2021 (2nd Week)

Disease	No. of Cases by Province									Number of cases during current week in 2021	Number of cases during same week in 2020	Total number of cases to date in 2021	Total number of cases to date in 2020	Difference between the number of cases to date in 2021 & 2020
	W	C	S	N	E	NW	NC	U	Sab					
AFP*	00	00	00	00	00	00	00	00	00	00	00	01	01	0%
Diphtheria	00	00	00	00	00	00	00	00	00	00	00	00	00	0%
Mumps	00	01	00	00	00	00	00	00	02	03	01	03	01	2%
Measles	00	00	00	00	00	00	01	00	00	01	00	01	03	-100%
Rubella	00	00	00	00	00	00	00	00	00	00	00	00	00	0%
CRS**	00	00	00	00	00	00	00	00	00	00	00	00	00	0%
Tetanus	00	00	00	00	00	00	00	00	00	00	01	00	01	-100%
Neonatal Tetanus	00	00	00	00	00	00	00	00	00	00	00	00	00	0%
Japanese Encephalitis	00	00	00	00	00	00	00	00	00	00	00	00	09	-100%
Whooping Cough	00	00	00	00	00	00	00	00	00	00	00	00	00	0%
Tuberculosis	27	07	08	10	08	16	02	05	23	106	172	181	172	5.23%

Key to Table 1 & 2

Provinces: W: Western, C: Central, S: Southern, N: North, E: East, NC: North Central, NW: North Western, U: Uva, Sab: Sabaragamuwa.
RDHS Divisions: CB: Colombo, GM: Gampaha, KL: Kalutara, KD: Kandy, ML: Matale, NE: Nuwara Eliya, GL: Galle, HB: Hambantota, MT: Matara, JF: Jaffna, KN: Killinochchi, MN: Mannar, VA: Vavuniya, MU: Mullaitivu, BT: Batticaloa, AM: Ampara, TR: Trincomalee, KM: Kalmunai, KR: Kurunegala, PU: Puttalam, AP: Anuradhapura, PO: Polonnaruwa, BD: Badulla, MO: Moneragala, RP: Ratnapura, KG: Kegalle.

Data Sources:
Weekly Return of Communicable Diseases: Diphtheria, Measles, Tetanus, Neonatal Tetanus, Whooping Cough, Chickenpox, Meningitis, Mumps., Rubella, CRS,
Special Surveillance: AFP* (Acute Flaccid Paralysis), Japanese Encephalitis
CRS** =Congenital Rubella Syndrome

Dengue Prevention and Control Health Messages

Look for plants such as bamboo, bohemia, rampe and banana in your surroundings and maintain them

Comments and contributions for publication in the WER Sri Lanka are welcome. However, the editor reserves the right to accept or reject items for publication. All correspondence should be mailed to The Editor, WER Sri Lanka, Epidemiological Unit, P.O. Box 1567, Colombo or sent by E-mail to chepid@slt.net.lk. **Prior approval should be obtained from the Epidemiology Unit before publishing data in this publication**

ON STATE SERVICE

Dr. Sudath Samaraweera
 CHIEF EPIDEMIOLOGIST
 EPIDEMIOLOGY UNIT
 231, DE SARAM PLACE
 COLOMBO 10