



# National Immunization Programme

## Vaccine Refrigerator Cold Chain Monitoring Chart



MOH Area \_\_\_\_\_

Year : \_\_\_\_\_

Month : \_\_\_\_\_

Fridge No : \_\_\_\_\_

Date	1		2		3		4		5		6		7		8		9		10		11		12		13		14		15		16		17		18		19		20		21		22		23		24		25		26		27		28		29		30		31	
	Time	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm									
Thermometer Temperature °C	≥ 13	[Grid with temperature values]																																																												
	12	[Grid with temperature values]																																																												
	11	[Grid with temperature values]																																																												
	10	[Grid with temperature values]																																																												
	9	[Grid with temperature values]																																																												
	8	[Grid with temperature values]																																																												
	7	[Grid with temperature values]																																																												
	6	[Grid with temperature values]																																																												
	5	[Grid with temperature values]																																																												
	4	[Grid with temperature values]																																																												
	3	[Grid with temperature values]																																																												
	2	[Grid with temperature values]																																																												
1	[Grid with temperature values]																																																													
0	[Grid with temperature values]																																																													
-1	[Grid with temperature values]																																																													
-2	[Grid with temperature values]																																																													
≤ -3	[Grid with temperature values]																																																													
Fridge Tag	Alarm OK	[Grid]																																																												
	Max Tem.	[Grid]																																																												
	Min. Tem.	[Grid]																																																												
VVM stage of OPV (I, II, III or IV)	[Grid]																																																													
Initials	[Grid]																																																													

Responsible Person for maintaining cold chain  
 1 \_\_\_\_\_  
 2 \_\_\_\_\_

Vaccine stock arrival dates ① \_\_\_ / \_\_\_ / \_\_\_ ② \_\_\_ / \_\_\_ / \_\_\_

Any cold chain failures Yes  No  Number of incidents  (PTO)

Names of the MOH / AMOH \_\_\_\_\_ Signature \_\_\_\_\_ Date \_\_\_ / \_\_\_ / \_\_\_

Cleaning of the refrigerator  
 Date \_\_\_ / \_\_\_ / \_\_\_  
 Time \_\_\_ / \_\_\_



# National Immunization Programme

## Details of incident/s



Date	Incident	Reason/s	Action Taken	Signature